



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
PHILIPPINE COCONUT AUTHORITY
Elliptical Road, Diliman, Quezon City 1101 Philippines
Tel. Nos.: (02) 8928-4501 to 09 Fax No.: (02) 8926-7631
<http://www.pca.da.gov.ph>

Central Office Bids and Awards Committee
SUPPLEMENTAL BID BULLETIN NO. 01

Supply, Delivery, Installation and Commissioning of Various Laboratory Equipment for the Development of Coco Sap Wine

Bidders are hereby notified of the clarifications, modifications, revisions and amendments to certain provisions of the Bid Documents particularly as published in the PhilGeps and Procuring Entity's website. This shall form an integral part of the Bid Documents.

1) PER TECHNICAL SPECIFICATIONS/TERMS OF REFERENCE

FROM:

1 unit Centrifuge

TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
3	Electrical: 23 V, 50/60 Hz, 280W	
	Two Rotors Included:	
	1. Fixed angle rotor for 24 x 1.5/2.0 ml tubes, hermetically sealed	

TO:

1 unit Centrifuge

TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
3	Electrical: <u>220 V - 240 V</u> , 50/60 Hz, <u>maximum of 280W</u>	
	Two Rotors Included:	
	1. Fixed angle rotor for 24 x 1.5/2.0 ml tubes, hermetically sealed <u>or its equivalent</u>	

ADDITIONAL

Inclusive of: AVR

...

"A food-secure Philippines with prosperous farmers and fisherfolk"



FROM:

1 unit Analytical Balance

TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
5	With GWP Verification	
	With IPAC Standard Qualification	

TO:

1 unit Analytical Balance

TECHNICAL SPECIFICATIONS


Item	Specification	Statement of Compliance
5	With GWP Verification <u>or its equivalent</u>	
	With IPAC Standard Qualification <u>or its equivalent</u>	

ADDITIONAL

Inclusive of: AVR

Any provisions in the Bid Documents inconsistent herewith are hereby amended, modified and superseded accordingly.

For the information and guidance of all concerned.


ERLENE C. MANOHAR
Chairperson, Bids and Awards Committee
PCA Central Office